

**PVT LAND COMPANY, LTD.**

87-2020 Farrington Hwy.  
Waianae, HI 96792

TEL. NO. (808) 668-4561 / FAX NO. (808) 668-1368

**REQUEST FOR CLEARANCE NUMBER**

**PRINT CLEARLY**

JOBSITE ADDRESS: \_\_\_\_\_

(Include Zip Code)

NAME OF PROPERTY OWNER: \_\_\_\_\_

NAME OF DEMOLITION CONTRACTOR: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

(Include Zip Code)

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_ P.O.#: \_\_\_\_\_ JOB# \_\_\_\_\_

\* TRANSPORTER: \_\_\_\_\_ PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

USE OF SITE: ( ) Residential ( ) Commercial ( ) Industrial ( ) Vacant Land ( ) City ( ) State ( ) Federal

JOB/PROJECT: ( ) Demo ( ) Renovation ( ) Roofing Only ( ) Other \_\_\_\_\_

WASTE MATERIAL: ( ) Canec ( ) Concrete ( ) Grub ( ) Mixed Waste ( ) Paint Chips ( ) Rock/Dirt ( ) Liquid Waste/Sludge

( ) Transite ( ) Other \_\_\_\_\_

Does the waste material contain **Lead Based Paint?** ( ) Yes ( ) No

If "Yes" to the above, was TCLP performed ( ) Yes ( ) No

TCLP required for all residential and commercial demolition and all commercial renovation projects that contain lead base paint. Residential renovations are exempt from TCLP requirements.

DATE READY FOR INSPECTION: \_\_\_\_\_ DEMOLITION DATE: \_\_\_\_\_

Submit Additional Clearances as required: Asbestos Containing Material (ACM), Petroleum Contaminated Soil (PCS)

Environmental Clearance Report, TCLP and check here \_\_\_\_\_

**Certification**

By signing this Clearance Request sheet, the undersigned certify:

- a. This waste is not a "Hazardous Waste" as defined by EPA or the State of Hawaii.
- b. This waste does not contain regulated radioactive materials or regulated concentrations of PCBs (Polychlorinated Biphenyls).
- c. The statements and attachments contain true and accurate descriptions of the waste. All relevant information regarding known or suspected hazards in the possession of the undersigned has been disclosed.
- d. The analytical data presented herein or attached hereto were derived from testing representative samples taken in accordance with the DOH Technical Guidance Manual for Underground Storage Tank Closure and Release Response (August 1992 and subsequent amendments/revisions) and EPA SW-846.
- e. If any changes occur in the character of the waste, the undersigned shall notify a Nanakuli Landfill representative immediately.
- f. The waste is not generated from a CERCLA site.

The undersigned hereby certify that the above information is true and correct.

BILL CHARGES TO: \_\_\_\_\_ DATE: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_ TITLE: \_\_\_\_\_

OWNER OF PROPERTY: \_\_\_\_\_ DATE: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_ TITLE: \_\_\_\_\_

DEMOLITION CONTRACTOR: \_\_\_\_\_ DATE: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_ TITLE: \_\_\_\_\_

TRANSPORTER: \_\_\_\_\_ DATE: \_\_\_\_\_

AUTHORIZED SIGNATURE: \_\_\_\_\_ TITLE: \_\_\_\_\_

**FOR OFFICE USE ONLY**

Clearance No: \_\_\_\_\_ Entered by: \_\_\_\_\_ Date: \_\_\_\_\_

Inspection Date: \_\_\_\_\_ ( ) Approved ( ) Declined Initials: \_\_\_\_\_ Date: \_\_\_\_\_

Scale Program: \_\_\_\_\_ Entered by: \_\_\_\_\_ Date: \_\_\_\_\_ Filed by: \_\_\_\_\_

Comments: \_\_\_\_\_

Special Handling: \_\_\_\_\_

**Additional Information:**

- A. All Clearance Numbers expire in 6 months, submit a new Clearance Form for approval prior to expiration date.
- B. No Clearance Number will be issued or authorized during the weekend (Saturday/Sunday)
- C. TCLP required for all demolition and renovation projects.
- D. ONLY residential renovations do not require TCLP.
- E. \*For additional transporters please use the "Transporter Authorization Form"